





Safety Data Sheet

Printing date 06/19/2024 Version Number 1.0 Reviewed on 06/19/2024

1 Identification

Product identifier

Trade name: <u>HRMK-100</u> SDS ID Number: 1442

Relevant identified uses of the substance or mixture, and uses advised against:

Specialty construction product. Not intended for other uses.

Identified uses advised against:

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

GCP Applied Technologies 2325 Lakeview Pkwy Alpharetta GA 30009 USA

GCP Canada, Inc. 294 Clements Road W. Ajax, Ontario L1S 3C6 Canada

Information department:

Environmental Health & Safety: USA: +1-617-876-1400 (24 hours)

+1-800-354-5414 (8AM - 5PM) Not functional within Massachusetts

CAN: 1-905-683-8561 (24 hours) Email address: msds.gcp@gcpat.com

México: +(722) 276-1364 EE.UU: +(617) 876-1400

Transport Emergency: Chemtrec: +1-800-424-9300 (24 hours)

2 Hazard(s) identification

Classification of the substance or mixture

Depending on the type of handling and use, airborne respirable crystalline silica may be generated. Prolonged and/or massive inhalation of respirable silica dust may cause silicosis. Occupational exposure to respirable crystalline silica should be monitored and controlled.

This product should be handled with care to avoid dust generation.

Causes damage to organs through prolonged or repeated exposure.

Label elements: The product is classified and labeled according to the Globally Harmonized System (GHS)

Hazard pictograms



Danger

Hazard statements

Causes damage to organs through prolonged or repeated exposure.

(Cont. on page 2)

(Cont. from page 1)

Safety Data Sheet

Version Number 1.0 Printing date 06/19/2024 Reviewed on 06/19/2024

Trade name: HRMK-100

Precautionary statements

Do not breathe dust/fume/gas/mist/vapors/spray.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Get medical advice/attention if you feel unwell.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Additional information: Avoid breathing dust.

Hazard description:

NFPA ratings (scale 0 - 4)



Health = 1Fire = 0Reactivity = 0

HMIS-ratings (scale 0 - 4)



Health = *1Flammability = 0Reactivity = 0

Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Mixture

Description: Mixture of the hazardous substance(s) listed below with additional nonhazardous ingredients.

Hazardous components:			
1332-58-7	Natural aluminosilicate (Kaolin)	90-100%	
14808-60-7	Quartz (SiO2)	1-<3%	

Additional information: Non-hazardous ingredients may be listed in Section 15; Right-To-Know disclosure.

4 First-aid measures

Description of first aid measures

General information: Get medical advice/attention if you feel unwell.

After inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

After skin contact:

Immediately wash contaminated skin with soap or mild detergent and water. If this chemical soaks clothing, immediately remove clothing and wash skin.

After eye contact: Rinse cautiously with water for several minutes.

After swallowing:

Rinse mouth.

Do NOT induce vomiting.

Information for doctor:

Most important symptoms and effects, both acute and delayed No further relevant information available.

(Cont. on page 3)

Trade name: HRMK-100

(Cont. from page 2)

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

Combustion products can include toxic gases such as carbon monoxide and smoke.

Advice for firefighters

Protective equipment: Wear personal protective equipment.

Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Methods and material for containment and cleaning up:

Contain and/or absorb spill with inert material (i.e. sand, vermiculite) then place in a suitable container.

Sweep up spilled product into receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling

Avoid contact with eyes, skin and clothing.

Do not take internally.

Practice good personal hygiene to avoid ingestion.

Use only with adequate ventilation.

Wash clothing before reuse.

FOR PROFESSIONAL USE ONLY. KEEP OUT OF CHILDREN'S REACH.

Information about protection against explosions and fires: No special measures required.

Conditions for safe storage, including any incompatibilities

Storage

Information about storage in one common storage facility: Keep respirator available.

Further information about storage conditions: Keep receptacle tightly sealed.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see section 7.

(Cont. on page 4)

Version Number 1.0 Printing date 06/19/2024 Reviewed on 06/19/2024

Trade name: HRMK-100

(Cont. from page 3)

Control navamators

Control parameters					
Components with limit values that require monitoring at the workplace:					
1332-58-7 Natural aluminosilicate (Kaolin)					
EL (Canada)	Long-term value: 2 mg/m ³				
EV (Canada)	Long-term value: 2(D) mg/m³ respirable				
PEL (USA)	Long-term value: 15* 5** mg/m³ *total dust **respirable fraction				
REL (USA)	Long-term value: 10* 5** mg/m³ *total dust **respirable fraction				
TLV (USA)	Long-term value: 2* mg/m³ E; as respirable fraction, A4				
14808-60-7 Q	14808-60-7 Quartz (SiO2)				
EL (Canada)	Long-term value: 0.025 mg/m³ ACGIH A2; IARC 1				
EV (Canada)	Long-term value: 0.10* mg/m³ *respirable fraction				
PEL (USA)	Long-term value: 0.05* mg/m³ *resp. dust; 30mg/m3/%SiO2+2				
REL (USA)	Long-term value: 0.05* mg/m³ *respirable dust				
TLV (USA)	Long-term value: 0.025* mg/m³ *respirable particulate matter, A2				

Additional information:

The lists that were valid during the creation were used as basis. Canadian employers must consult the exposure limits in their province.

Exposure controls

Personal protective equipment:

General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed.

Breathing equipment:

Control exposure to ingredients with workplace control parameters if mentioned above. If no ingredients are listed, respiratory protection is generally not required.

If exposure limits are listed and may be exceeded, use approved respiratory protective equipment and filter type appropriate for the listed ingredients. (NIOSH, CEN, etc.).

Protection of hands: Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

Rubber or other impervious gloves should be worn to prevent skin contact.

Eye protection:



Safety glasses with side shield protection.

Hermetically sealed safety goggles

Safety glasses with side shields should be worn to prevent contact due to splashing. Under high vapor mist concentrations, tightly sealed goggles should be worn.



A face shield should also be worn if there is potential exposure to splash or spray.

Trade name: *HRMK-100*

(Cont. from page 4)

Body protection:

Use personal protective equipment as required.

Take off contaminated clothing.

9 Physical and chemical propert	9 Physical and chemical properties					
Information on basic physical	and chemical properties					
General Information Appearance: Form: Color: Odor: Odor threshold:	Powder White Odorless Not applicable.					
pH-value (~):	Not applicable.					
Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point:	Undetermined. Undetermined. Not applicable.					
Flammability (solid, gaseous):	Not determined.					
Auto igniting:	Undetermined.					
Decomposition temperature: Ignition temperature: Danger of explosion:	Not applicable under normal storage conditions. Not determined. Product does not present an explosion hazard.					
Explosion limits: Lower: Upper:	Not determined. Not determined.					
Vapor pressure: Density: (~) at 20 °C (68 °F)	Not applicable. 2.1-2.6 g/cm³ (17.5-21.7 lbs/gal)					
Bulk density: Vapor density	500 kg/m³ Not determined.					
Solubility in / Miscibility with Water:	Soluble.					
Partition coefficient (n-octanol/water	r): Not determined.					
Viscosity: Dynamic: Kinematic: Molecular weight	Not applicable. Not applicable. Not determined.					
Other information	No further relevant information available.					

10 Stability and reactivity

Reactivity

Stable under normal conditions.

No further relevant information available.

Chemical stability

Thermal decomposition: No decomposition if used according to specifications.

(Cont. on page 6)

Safety Data Sheet

Printing date 06/19/2024 Version Number 1.0 Reviewed on 06/19/2024

Trade name: HRMK-100

(Cont. from page 5)

Possibility of hazardous reactions

No dangerous reactions known.

No further relevant information available.

Conditions to avoid No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products: Carbon monoxide and carbon dioxide

Additional information: See section 7 for information on handling, storage and conditions to be avoided.

11 Toxicological information

Delayed and immediate effects and chronic effects from short or long term exposure

Causes damage to organs through prolonged or repeated exposure.

Information on toxicological effects

Acute toxicity:

Primary irritant effect:

on the skin: Does not cause irritation. on the eye: No irritating effect expected inhalation: No irritating effect expected Additional toxicological information:

Carcinogenic categories

IARC (International Agency for Research on Cancer) Human Carcinogenicity:

Group 1- Positive, Group 2A- Probable, Group 2B- Possible, Group 3- Not Classifiable

14808-60-7 Quartz (SiO2)

1

NTP (National Toxicology Program)

K-Known to be carcinogenic, R-May reasonably be anticipated to be carcinogenic

14808-60-7 Quartz (SiO2)

K

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 Ecological information

Toxicity

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Behavior in environmental systems:

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Additional ecological information:

General notes: Not known to be hazardous to water.

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

Trade name: HRMK-100

(Cont. from page 6)

13 Disposal considerations

Disposal methods:

Consult all regulations (federal, state, provincial, local) or a qualified waste disposal firm when characterizing product for disposal. Dispose of waste in accordance with all applicable regulations.

Recommendation:



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings:

Recommendation: Dispose of contents/container in accordance with local/regional/national/international regulations.

14 Transport information

UN-Number
DOT, IMDG, IATA
Not applicable.

UN proper shipping name

DOT, IMDG, IATA Not applicable.

Transport hazard class(es)

DOT, IMDG, IATA

Class Not applicable.

Packing group

DOT, IMDG, IATA Not applicable.

Environmental hazards: Not applicable.

Special precautions for user Not applicable.

Transport/Additional information:

DOT

Remarks: Not Regulated.

UN "Model Regulation": Not applicable.

15 Regulatory information

Other regulations in domestic and foreign countries

SARA (Superfund Amendments and Reauthorization Act)

Section 302/304 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 Reportable Ingredients (Chemicals present below reporting threshold are exempt):

None of the ingredients is listed.

SARA Section 312/Tier I & II Hazard Categories: Health Hazard - Specific target organ toxicity (single or repeated exposure)

North America Chemical Inventory Status

TSCA (Toxic Substances Control Act - United States):

All ingredients are listed or exempt from listing unless otherwise noted below.

CEPA (Canadian DSL):

All ingredients are listed or exempt from listing unless otherwise noted below.

(Cont. on page 8)

Trade name: HRMK-100

	(Cont. from page 7)
California Proposition 65: (Substances < 0.1% unless noted in Section 3)	(com nop.g)
Chemicals known to cause cancer:	
Quartz (SiO2)	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients are listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients are listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients are listed.	
Carcinogenicity Categories	
TLV-ACGIH (THE American Conference of Governmental Industrial Hygienists) Human Carcinogen - A1 Confirmed, A2 Suspected, A3 Unknown Relevance, A4 Not Classifiable	
Natural aluminosilicate (Kaolin)	A4
Quartz (SiO2)	A2
NIOSH-Cancer (National Institute for Occupational Safety and Health)	
14808-60-7 Quartz (SiO2)	
Volatile Organic Compounds (VOC) reported per the Emission Standards. If no g/L value is provided this product is not subject to above standard.	

16 Other information

The data included herein are presented in accordance with various environment, health and safety regulations. It is the responsibility of a recipient of the data to remain currently informed on chemical hazard information, to design and update its own program and to comply with all national, federal, state and local laws and regulations applicable to safety, occupational health, right-to-know and environmental protection.

Department issuing SDS:

GCP Applied Technologies 2325 Lakeview Pkwy Alpharetta GA, 30009 USA USA: +1-617-876-1400 (24 hours)

+1-800-354-5414

The first date of preparation 06/17/2024

Number of revision times and the latest revision date $1.0 \ / \ 06/19/2024$

USGHS