



Printing date 03/04/2024 Version Number 1.0 Reviewed on 03/04/2024

#### 1 Identification

Product identifier

Trade name: Dry-Block G3

SDS ID Number: 1593

Relevant identified uses of the substance or mixture, and uses advised against:

Specialty construction product. Not intended for other uses.

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

GCP Applied Technologies 2325 Lakeview Pkwy Alpharetta GA 30009 USA

GCP Canada, Inc. 294 Clements Road W. Ajax, Ontario L1S 3C6 Canada

#### **Information department:**

Environmental Health & Safety: USA: +1-617-876-1400 (24 hours)

+1-800-354-5414 (8AM - 5PM) Not functional within Massachusetts

CAN: 1-905-683-8561 (24 hours) Email address: msds.gcp@gcpat.com

Transport Emergency: Chemtrec: +1-800-424-9300 (24 hours)

# 2 Hazard(s) identification

## Classification of the substance or mixture

Causes skin irritation.

Causes serious eye irritation.

Label elements: The product is classified and labeled according to the Globally Harmonized System (GHS)

Hazard pictograms



## Warning

#### Hazard statements

Causes skin irritation.

Causes serious eye irritation.

# Precautionary statements

Wash thoroughly after handling.

Wear protective gloves / eye protection / face protection.

If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

(Cont. on page 2)

Printing date 03/04/2024 Version Number 1.0 Reviewed on 03/04/2024

Trade name: Dry-Block G3

(Cont. from page 1)

# **Hazard description:** NFPA ratings (scale 0 - 4)



Health = 2 Fire = 0 Reactivity = 0

## HMIS-ratings (scale 0 - 4)



Health = 2 Flammability = 0 Reactivity = 0

## Other hazards

Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

# 3 Composition/information on ingredients

**Chemical characterization: Mixture** 

**Description:** Mixture of the hazardous substance(s) listed below with additional nonhazardous ingredients.

| Hazardous components: |                                       |         |
|-----------------------|---------------------------------------|---------|
| 107-41-5              | 2-methylpentane-2,4-diol              | 50-<60% |
| 2943-75-1             | Triethoxyoctylsilane                  | 40-<50% |
| 127087-87-0           | Nonylphenol polyethylene glycol ether | 1-<3%   |
| 64-17-5               | Ethanol                               | 1-<3%   |

Additional information: Non-hazardous ingredients may be listed in Section 15; Right-To-Know disclosure.

# 4 First-aid measures

# Description of first aid measures

General information: Get medical advice/attention if you feel unwell.

After inhalation: No special measures required.

#### After skin contact:

Immediately wash contaminated skin with soap or mild detergent and water. If this chemical soaks clothing, immediately remove clothing and wash skin.

After eye contact: Rinse cautiously with water for several minutes.

#### After swallowing:

Rinse mouth.

Do NOT induce vomiting.

## **Information for doctor:**

Most important symptoms and effects, both acute and delayed Irritating to eyes.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

USGHS

Printing date 03/04/2024 Version Number 1.0 Reviewed on 03/04/2024

Trade name: Dry-Block G3

(Cont. from page 2)

# 5 Fire-fighting measures

# **Extinguishing media**

Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray.

# Special hazards arising from the substance or mixture

Combustion products can include toxic gases such as carbon monoxide and smoke.

# Advice for firefighters

Protective equipment: Wear personal protective equipment.

Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

# 6 Accidental release measures

# Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

# Methods and material for containment and cleaning up:

Contain and/or absorb spill with inert material (i.e. sand, vermiculite) then place in a suitable container.

#### Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# 7 Handling and storage

# Handling:

#### Precautions for safe handling

Avoid contact with eyes, skin and clothing.

Do not take internally.

Practice good personal hygiene to avoid ingestion.

Use only with adequate ventilation.

Wash clothing before reuse.

FOR PROFESSIONAL USE ONLY. KEEP OUT OF CHILDREN'S REACH.

Information about protection against explosions and fires: No special measures required.

## Conditions for safe storage, including any incompatibilities

Storage:

Information about storage in one common storage facility: No special measures required.

Further information about storage conditions: Keep receptacle tightly sealed.

**Specific end use(s)** No further relevant information available.

# 8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see section 7.

#### **Control parameters**

Components with limit values that require monitoring at the workplace:

# 107-41-5 2-methylpentane-2,4-diol

EL (Canada) | Ceiling limit value: 25 ppm

(Cont. on page 4)

Printing date 03/04/2024 Version Number 1.0 Reviewed on 03/04/2024

Trade name: Dry-Block G3

| REL (USA)       | Ceiling limit value: 120 mg/m³, 25 ppm Ceiling limit value: 125 mg/m³, 25 ppm Short-term value: 10** mg/m³, 50* ppm Long-term value: 25* ppm *vapor **inh. fraction, aerosol only | (Cont. from page 3) |
|-----------------|---|---------------------|
| 64-17-5 Ethanol |   |                     |
| EL (Canada)     | Short-term value: 1000 ppm  |                     |
| EV (Canada)     | Long-term value: 1,900 mg/m³, 1,000 ppm   |                     |
| PEL (USA)       | Long-term value: 1900 mg/m³, 1000 ppm   |                     |
| REL (USA)       | Long-term value: 1900 mg/m³, 1000 ppm   |                     |
| TLV (USA)       | Short-term value: 1000 ppm  |                     |
|                 | A3  |                     |

#### Additional information:

The lists that were valid during the creation were used as basis.

Canadian employers must consult the exposure limits in their province.

# **Exposure controls**

#### Personal protective equipment:

General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed.

#### **Breathing equipment:**

Control exposure to ingredients with workplace control parameters if mentioned above. If no ingredients are listed, respiratory protection is generally not required.

If exposure limits are listed and may be exceeded, use approved respiratory protective equipment and filter type appropriate for the listed ingredients. (NIOSH, CEN, etc.).

Protection of hands: Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

Material of gloves Rubber or other impervious gloves should be worn to prevent skin contact.

#### Eye protection:



Safety glasses with side shield protection.



A face shield should also be worn if there is potential exposure to splash or spray.

#### **Body protection:**

Use personal protective equipment as required.

Take off contaminated clothing.

# 9 Physical and chemical properties

# Information on basic physical and chemical properties

**General Information** 

Appearance:

Form: Liquid

Color: According to product specification

Odor: Characteristic
Odor threshold: Not applicable.

(Cont. on page 5)

Printing date 03/04/2024 Version Number 1.0 Reviewed on 03/04/2024

Trade name: Dry-Block G3

|  |   | (Cont. from page 4) |
|--|---|---------------------|
| pH-value (~):  | Not determined.   |                     |
| Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point: | Undetermined.<br>Undetermined.<br>Not applicable.   |                     |
| Flammability (solid, gaseous):   | Not applicable.   |                     |
| Auto igniting:   | Undetermined.   |                     |
| Decomposition temperature:<br>Ignition temperature:<br>Danger of explosion:                | Not applicable under normal storage conditions. Product is not self-igniting. Product does not present an explosion hazard. |                     |
| Explosion limits:<br>Lower:<br>Upper:  | Not applicable.<br>Not applicable.  |                     |
| Vapor pressure:<br>Density: (~)<br>Vapor density<br>Evaporation rate                       | Not determined. Not determined. Not determined. Not applicable.   |                     |
| Solubility in / Miscibility with Water:  | Fully miscible.   |                     |
| Partition coefficient (n-octanol/water): Not determined.                                   |   |                     |
| Viscosity:<br>Dynamic:<br>Kinematic:<br>Molecular weight                                   | Not determined. Not determined. Not determined.   |                     |
| Other information No further relevant information available.                               |   |                     |

# 10 Stability and reactivity

## Reactivity

Stable under normal conditions.

No further relevant information available.

## **Chemical stability**

**Thermal decomposition:** No decomposition if used according to specifications.

# Possibility of hazardous reactions

No dangerous reactions known.

No further relevant information available.

Conditions to avoid No further relevant information available.

**Incompatible materials:** No further relevant information available.

Hazardous decomposition products: Carbon monoxide and carbon dioxide

# 11 Toxicological information

# Information on toxicological effects

Acute toxicity:

| LD/LC50 values relevant for classification: |      |                   |  |  |
|---|------|-------------------|--|--|
| 64-17-5 Ethanol                             |      |                   |  |  |
| Dermal                                      | LD50 | 7,060 mg/kg (rat) |  |  |

(Cont. on page 6)

Printing date 03/04/2024 Version Number 1.0 Reviewed on 03/04/2024

Trade name: Dry-Block G3

Inhalation LC50, 4h 20,000 mg/l (rat)

**Primary irritant effect:** 

on the skin: Causes skin irritation.

on the eye: Causes serious eye irritation. inhalation: No irritating effect expected

Additional toxicological information: NOTE: IARC listing of ethanol is specific for ethanol in alcoholic beverages.

Carcinogenic categories

IARC (International Agency for Research on Cancer) Human Carcinogenicity:

Group 1- Positive, Group 2A- Probable, Group 2B- Possible, Group 3- Not Classifiable

64-17-5 Ethanol

NTP (National Toxicology Program)

K-Known to be carcinogenic, R-May reasonably be anticipated to be carcinogenic

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

# 12 Ecological information

# **Toxicity**

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

# **Behavior in environmental systems:**

Bioaccumulative potential No further relevant information available.

**Mobility in soil** No further relevant information available.

#### Additional ecological information:

General notes: Not known to be hazardous to water.

#### Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

# 13 Disposal considerations

# **Disposal methods:**

Consult all regulations (federal, state, provincial, local) or a qualified waste disposal firm when characterizing product for disposal. Dispose of waste in accordance with all applicable regulations.

#### **Recommendation:**



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

# **Uncleaned packagings:**

**Recommendation:** Dispose of contents/container in accordance with local/regional/national/international regulations.

USGHS =

Printing date 03/04/2024 Version Number 1.0 Reviewed on 03/04/2024

Trade name: Dry-Block G3

(Cont. from page 6)

# 14 Transport information

**UN-Number** 

**DOT, IMDG, IATA** Not applicable.

UN proper shipping name

**DOT, IMDG, IATA** Not applicable.

Transport hazard class(es)

DOT, IMDG, IATA

Class Not applicable.

Packing group

**DOT, IMDG, IATA** Not applicable.

**Environmental hazards:** Not applicable.

Special precautions for user Not applicable.

**Transport/Additional information:** 

DOT

Remarks: Not Regulated.

# 15 Regulatory information

# Other regulations in domestic and foreign countries

SARA (Superfund Amendments and Reauthorization Act)

Section 302/304 (extremely hazardous substances):

None of the ingredients is listed.

# Section 313 Reportable Ingredients (Chemicals present below reporting threshold are exempt):

127087-87-0 Nonylphenol polyethylene glycol ether

#### SARA Section 312/Tier I & II Hazard Categories:

Health Hazard - Skin Corrosion or Irritation

Health Hazard - Serious eye damage or eye irritation

## **North America Chemical Inventory Status**

# TSCA (Toxic Substances Control Act - United States):

All ingredients are listed or exempt from listing unless otherwise noted below.

# **CEPA (Canadian DSL):**

All ingredients are listed or exempt from listing unless otherwise noted below.

## California Proposition 65: (Substances <0.1% unless noted in Section 3)

# Chemicals known to cause cancer:

None of the ingredients is listed.

# Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

# Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

# Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

# **Carcinogenicity Categories**

# TLV-ACGIH (THE American Conference of Governmental Industrial Hygienists)

Human Carcinogen - A1 Confirmed, A2 Suspected, A3 Unknown Relevance, A4 Not Classifiable

Ethanol A3

## NIOSH-Cancer (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

(Cont. on page 8)

Printing date 03/04/2024 Version Number 1.0 Reviewed on 03/04/2024

Trade name: Dry-Block G3

# Volatile Organic Compounds (VOC) reported per the Emission Standards.

If no g/L value is provided this product is not subject to above standard.

(Cont. from page 7)

# 16 Other information

The data included herein are presented in accordance with various environment, health and safety regulations. It is the responsibility of a recipient of the data to remain currently informed on chemical hazard information, to design and update its own program and to comply with all national, federal, state and local laws and regulations applicable to safety, occupational health, right-to-know and environmental protection.

# **Department issuing SDS:**

+1-800-354-5414

GCP Applied Technologies 2325 Lakeview Pkwy Alpharetta GA, 30009 USA USA: +1-617-876-1400 (24 hours)

The first date of preparation 03/04/2024

Number of revision times and the latest revision date 1.0 / 03/04/2024

USGHS