



Date of issue: 05/08/2025 Version Number 1.3 Reviewed on 05/08/2025

1 Identification

Product identifier

Trade name: *ECLIPSE 4500*Other means of identification

SDS ID Number: 60063

Relevant identified uses of the substance or mixture, and uses advised against:

Specialty construction product. Not intended for other uses.

Product category Concrete Admixture

Identified uses advised against:

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

GCP Applied Technologies 2325 Lakeview Pkwy Alpharetta GA 30009 USA

GCP Canada, Inc. 294 Clements Road W. Ajax, Ontario L1S 3C6 Canada

Information department:

Environmental Health & Safety: USA: +1-617-876-1400 (24 hours)

+1-800-354-5414 (8AM - 5PM) Not functional within Massachusetts

CAN: 1-905-683-8561 (24 hours) Email address: msds.gcp@gcpat.com Emergency telephone number:

Transport Emergency: Chemtrec: +1-800-424-9300 (24 hours)

2 Hazard(s) identification

Classification of the substance or mixture

Skin irritation 2 Causes skin irritation.

Eye irritation 2A Causes serious eye irritation.

Reproductive toxicity 2 Suspected of damaging fertility or the unborn child.

Label elements: The product is classified and labeled according to the Globally Harmonized System (GHS)

(Cont. on page 2)

USGHS =

Date of issue: 05/08/2025 Version Number 1.3 Reviewed on 05/08/2025

Trade name: ECLIPSE 4500

(Cont. from page 1)

Hazard pictograms





Signal word Warning

Hazard statements

Causes skin irritation.

Causes serious eye irritation.

Suspected of damaging fertility or the unborn child.

Precautionary statements

Do not handle until all safety precautions have been read and understood.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard Classification:

NFPA ratings (scale 0 - 4)



Health = 2 Fire = 1 Reactivity = 0

HMIS-ratings (scale 0 - 4)



Health = 2 Flammability = 1 Reactivity = 0

Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

3 Composition/information on ingredients

Chemical characterization: Mixture

Description:

Mixture of the hazardous substance(s) listed below with additional nonhazardous ingredients.

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

Hazardous components:

107-41-5 2-methylpentane-2,4-diol

90-100%

(Cont. on page 3)

Date of issue: 05/08/2025 Version Number 1.3 Reviewed on 05/08/2025

Trade name: ECLIPSE 4500

(Cont. from page 2)

Additional information: Non-hazardous ingredients may be listed in Section 15; Right-To-Know disclosure.

4 First-aid measures

Description of first aid measures

General information: Get medical advice/attention if you feel unwell.

After inhalation:

If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

After skin contact:

Immediately wash contaminated skin with soap or mild detergent and water. If this chemical soaks clothing, immediately remove clothing and wash skin.

After eye contact:

Rinse cautiously with water for several minutes.

Seek immediate medical advice.

After swallowing:

Rinse mouth.

Do NOT induce vomiting.

Most important symptoms and effects, both acute and delayed Irritating to eyes.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray.

Special hazards arising from the substance or mixture

Combustion products can include toxic gases such as carbon monoxide and smoke.

Advice for firefighters

Protective equipment: Wear personal protective equipment.

Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Methods and material for containment and cleaning up:

Contain and/or absorb spill with inert material (i.e. sand, vermiculite) then place in a suitable container.

(Cont. on page 4)

Date of issue: 05/08/2025 Version Number 1.3 Reviewed on 05/08/2025

Trade name: ECLIPSE 4500

(Cont. from page 3)

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Precautions for safe handling

Avoid contact with eyes, skin and clothing.

Do not take internally.

Practice good personal hygiene to avoid ingestion.

Use only with adequate ventilation.

Wash clothing before reuse.

FOR PROFESSIONAL USE ONLY. KEEP OUT OF CHILDREN'S REACH.

Information about protection against explosions and fires: No special measures required.

Conditions for safe storage, including any incompatibilities

Storage:

Information about storage in one common storage facility: Keep respirator available.

Further information about storage conditions: Keep receptacle tightly sealed.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Control parameters

Components with limit values that	require monitoring	g at the workplace:
-----------------------------------	--------------------	---------------------

107-41-5 2-methylpentane-2,4-diol

EL (Canada)	Ceiling limit value: 25 ppm
	Ceiling limit value: 120 mg/m³, 25 ppm
REL (USA)	Ceiling limit value: 125 mg/m³, 25 ppm
TLV (USA)	Short-term value: 10** mg/m³, 50* ppm Long-term value: 25* ppm *vapor **inh. fraction, aerosol only
	*vapor **inh. fraction, aerosol only

Additional information:

The lists that were valid during the creation were used as basis.

Canadian employers must consult the exposure limits in their province.

Exposure controls

Appropriate engineering controls No further data; see section 7.

Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

(Cont. on page 5)

Date of issue: 05/08/2025 **Version Number 1.3** Reviewed on 05/08/2025

Trade name: ECLIPSE 4500

(Cont. from page 4)

Breathing equipment:

Control exposure to ingredients with workplace control parameters if mentioned above. If no ingredients are listed, respiratory protection is generally not required.

If exposure limits are listed and may be exceeded, use approved respiratory protective equipment and filter type appropriate for the listed ingredients. (NIOSH, CEN, etc.).

Protection of hands:

Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

Material of gloves Rubber or other impervious gloves should be worn to prevent skin contact.

Eve protection:



Safety glasses with side shield protection.



A face shield should also be worn if there is potential exposure to splash or spray.

Body protection:

Use personal protective equipment as required.

Take off contaminated clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Physical state Liquid

Color: Colorless to light yellow

Odor: Mild sweet odor Odor threshold: Not applicable. Melting point/Freezing point: -50 °C (-58 °F) **Boiling point/Boiling range:** Undetermined. Flammability: Not applicable. Lower:

1 Vol %

Not applicable. 9.9 Vol % Upper: Not applicable. Flash point: Not applicable.

Method:

Auto igniting: 260 °C (500 °F)

Not applicable under normal storage conditions. **Decomposition temperature:**

pH-value (~): Not determined.

Viscosity:

Kinematic: Not determined. Dynamic: Not determined.

Solubility in / Miscibility with

Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined.

(Cont. on page 6)

(Cont. from page 5)

Safety Data Sheet

Date of issue: 05/08/2025 Version Number 1.3 Reviewed on 05/08/2025

Trade name: ECLIPSE 4500

Vapor pressure at 20 °C (68 °F): 0.065 hPa (0 mm Hg)

Vapor pressure:

Density: (~) at 20 °C (68 °F) 0.925 g/cm³ (7.719 lbs/gal)

Vapor densityNot determined.Particle characteristicsNot applicable.

Other information

Appearance:

Form: Liquid

Important information on protection of health and

environment, and on safety.

Ignition temperature: Product is not self-igniting.

Danger of explosion: Product does not present an explosion hazard.

Change in condition

Evaporation rateMolecular weight
Not applicable.
118.18 g/mol
Not determined.

10 Stability and reactivity

Reactivity

Stable under normal conditions.

No further relevant information available.

Chemical stability Stable under normal conditions.

Thermal decomposition: No decomposition if used according to specifications.

Possibility of hazardous reactions

No dangerous reactions known.

No further relevant information available.

Conditions to avoid No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

Information on toxicological effects

Acute toxicity:

Primary irritant effect:

on the skin: Causes skin irritation.

on the eye: Causes serious eye irritation. **inhalation:** No irritating effect expected

Additional toxicological information: Suspected of damaging fertility or the unborn child.

(Cont. on page 7)

Date of issue: 05/08/2025 Version Number 1.3 Reviewed on 05/08/2025

Trade name: ECLIPSE 4500

(Cont. from page 6)

Carcinogenic categories

IARC (International Agency for Research on Cancer) Human Carcinogenicity:

Group 1- Positive, Group 2A- Probable, Group 2B- Possible, Group 3- Not Classifiable

None of the ingredients are listed.

NTP (National Toxicology Program)

K-Known to be carcinogenic, R-May reasonably be anticipated to be carcinogenic

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 Ecological information

Toxicity

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

Additional ecological information:

General notes: Not known to be hazardous to water.

13 Disposal considerations

Disposal methods:

Consult all regulations (federal, state, provincial, local) or a qualified waste disposal firm when characterizing product for disposal. Dispose of waste in accordance with all applicable regulations.

Recommendation:



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings:

Recommendation:

Dispose of contents/container in accordance with local/regional/national/international regulations.

• USGHS

Date of issue: 05/08/2025 Version Number 1.3 Reviewed on 05/08/2025

Trade name: ECLIPSE 4500

(Cont. from page 7)

14 Transport information

UN-Number DOT, IMDG, IATA

Not applicable.

UN proper shipping name

DOT, IMDG, IATA

Not applicable.

Transport hazard class(es)

DOT, IMDG, IATA

Class Not applicable.

Packing group

DOT, IMDG, IATA Not applicable.

Environmental hazards:

Marine pollutant: No

Transport/Additional information: Not classified as a dangerous good for transport by road, rail or air.

DOT

Remarks: Not Regulated.

15 Regulatory information

Other regulations in domestic and foreign countries

SARA (Superfund Amendments and Reauthorization Act)

Section 302/304 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 Reportable Ingredients (Chemicals present below reporting threshold are exempt):

None of the ingredients is listed.

SARA Section 312/Tier I & II Hazard Categories:

Health Hazard - Reproductive toxicity

Health Hazard - Skin Corrosion or Irritation

Health Hazard - Serious eye damage or eye irritation

North America Chemical Inventory Status

TSCA (Toxic Substances Control Act - United States):

All ingredients are listed or exempt from listing unless otherwise noted below.

CEPA (Canadian DSL):

All ingredients are listed or exempt from listing unless otherwise noted below.

Right to Know Ingredient Disclosure:

The specific chemical identity and/or exact percentage (concentration) of non-hazardous component(s) has been withheld as a trade secret.

California Proposition 65: (Substances <0.1% unless noted in Section 3)

Chemicals known to cause cancer:

4-Methyl-2-pentanone

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

(Cont. on page 9)

Date of issue: 05/08/2025 Version Number 1.3 Reviewed on 05/08/2025

Trade name: ECLIPSE 4500

(Cont. from page 8)

Chemicals known to cause developmental toxicity:

108-10-1 4-Methyl-2-pentanone

Carcinogenicity Categories

TLV-ACGIH (THE American Conference of Governmental Industrial Hygienists)

Human Carcinogen - A1 Confirmed, A2 Suspected, A3 Unknown Relevance, A4 Not Classifiable

None of the ingredients are listed.

NIOSH-Cancer (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

Volatile Organic Compounds (VOC) reported per the Emission Standards.

If no g/L value is provided this product is not subject to above standard.

16 Other information

The data included herein are presented in accordance with various environment, health and safety regulations. It is the responsibility of a recipient of the data to remain currently informed on chemical hazard information, to design and update its own program and to comply with all national, federal, state and local laws and regulations applicable to safety, occupational health, right-to-know and environmental protection.

Department issuing SDS:

GCP Applied Technologies 2325 Lakeview Pkwy Alpharetta GA, 30009 USA USA: +1-617-876-1400 (24 hours) +1-800-354-5414

The first date of preparation 03/29/2012

Number of revision times and the latest revision date 1.3 / 05/08/2025

USGHS